			l sterim score for tracking draft reviews. This is no longer to this final version of comm ptember, 2017, draft Findings Report. Because the Navy already recommended the		not perform a cimilar detailed !	el of review for **	nse							#
Overall score (0,1, or 2)	Box Plots	Q-Q Plots excavatic	f	On vs offsite lab	Time Series	Suspect name (1=yes, 0=no)	Name, if suspect	Name, if not suspect	Signs of falsifying (1=7es, 0=no)	Failure to follow workplan (1=Y, 0=N)	Signs of failure to follow workplan	Comments - Other	Followup needed, e.g. questions fo Navy	for See stat
2	Cs-137 results all low, with multiple negative results - indicating a data quality issue	1) K-40 has some negative results and a different slope, Cs-137 negative results 2) FSS data sets for Ac-228, Bi-214, and K-40 indicate at least two different populations exist	Samma static and scan results were not provided in the SUPR Supplers/surveyors not provided in SUPR Supplers/surveyors not provided in SUPR Supplers/surveyors not in the SUPR or RACR	Onsite lab results biased high compared to offsite	1 FSS Bi-214 and 1 Ac-228 result a or below 0, 3 FSS K-40, several Cs- 137 results below 0		Name(s) not provided	Name(s) not provided	1) No Confirmatory/biased samples were collected with FSS 2) K-40 and Cs-137 had the lowest mean results of any TU in Parcels B & D-2 3) Q Q Plots for FSS results for Ac-228, Bi-214, and K-40 depict at lead two different data populations	1	Gamma static and scan results were not provided in the SUPR Gamma static and scan surveyor is not listed in the SUPR When the SUPR Additional static and scan surveyor is not in the SUPR or RACR	1) Significant data quality problems, indicated by the following: K-40 and Cs-137 had the lowest mean results of any TU in Parcels B & D-2 Multiple Cs-137 results at or below 0 2) TU contained sewer line that was connected to or downstream from radiologically impacted building 157	Navy should provide missing scan/gamma static data.	
2	Cs-137 results all low, with multiple negative results - indicating a data quality issue	Ac. 228, Bi-214, K-40 RAS and K-40 FSS Bias results have a different slope than FSS, FSS Bi-214 has slope breaks indicating multiple populations. Form notes, "Final Systematic samples display characteristics of at least two different data populations for Bi-214"	Gamma static and scan results were not provided in the SUPR Names of samplers/surveyors not provided in SUPR	Onsite Ra-226 results high compared to offsite	1 FSS Bi-214, 3 FSS Ac-228, several Characterization and Bias, several Cs-137 results below 0.		Name(s) not provided	Name(s) not provided	1) K-40 had second lowest mean results of any TU in Parcels B & D-2 2) Q Q Plots for FSS results for Bi-214 depict at lead two different data populations	1	Gamma static and scan results were not provided in the SUPR Gamma static and scan surveyor is not listed in the SUPR	1) Significant data quality problems, indicated by the following: K-40 had second lowest mean results of any TU in Parcels B & D-2 Multiple Cs-137 results at or below 0 2) TU contained sewer line that was connected to or downstream from radiologically impacted building 157	Navy should provide missing scan/gamma static data.	
2	Cs-137 results all low, with multiple negative results - indicating a data quality issue	K-40 FSS has a different slope than other radionuclides FSS (includes negative values) and slope breaks indicating multiple populations	Gamma static and scan results were not provided in the SUPR Names of samplers/surveyors not provided in SUPR	Inconsistent - offsite lab reported non- detects for sample 1 and 5 for Ac-228; onsite lab reported results at 0.616 pCi/g and 0.215 pCi/g respectively.	None	0.5	Name(s) not provided	Name(s) not provided	1) 16 of 18 FSS sample results for Cs-137 were less than zero.	1	Gamma static and scan results were not provided in the SUPR Gamma static and scan surveyor is not listed in the SUPR The SUPR	Significant data quality problems, indicated by the following: Multiple Cs-137 results at or below 0 2) TU contained sewer line that was connected to or downstream from radiologically impacted building 140	Navy should provide missing scan/gamma static data.	
2	Cs-137 results all low, with multiple negative results - indicating a data quality issue	1) K-40 FSS has a different slope than other radionuclides FSS (includes negative values) 2) FSS results for indicate two different populations for Ac-228 and Bi-214. Form notes, "Final Systematic samples display characteristics of at least two different data populations for Ac-228"	Gamma static and scan results were not provided in the SUPR The suppless of the suppless results were not in the SUPR or RACR Names of samplers/surveyors not provided in SUPR	Inconsistent - offsite lab data reported at levels lower than data reported form onsite lab.	1 BI-214 FSS, 3 Ac-228 FSS, and 3 K 40 FSS results below 0. Several Cs- 137 results below 0.		Name(s) not provided	Name(s) not provided	No Confirmatory/biased samples were collected with FSS Page 1 investigative data (67 samples) not provided in RACR or SUPR Q Q Plots for FSS results depict at lead two different data populations for A 228, K-40, and Bi-214		Gamma static and scan results were not provided in the SUPR Gamma static and scan surveyor is not listed in the SUPR The SUPR	Significant data quality problems, indicated by the following: Multiple Cs-137 results at or below 0 2) TU contained sewer line that was connected to or downstream from radiologically impacted buildings 140 an	Navy should provide missing scan/gamma static data.	
2	K-40 in FSS appears to be from a different population than all other surveys. Cs-137 results all low, with multiple negative results - indicating a data quality issue	FSS Bi-214 and K-40 results indicate at least two populations	1) Gamma static and scan results were not provided in the SUPR 2) Gamma static and scan surveyor is not listed in the SUPR 3) Names of samplers/surveyors not provided in SUPR	Inconsistent - two elevated FSS results for Bi-214 are not comparable to Ra-226 reported results.	Two Bi-214 FSS results elevated compared to Ra-226 result reported.	0.5	Name(s) not provided	Name(s) not provided	1) Two Bi-214 FSS results elevated compared to Ra-226 result reported. 2) FSS results indicate at least two populations are present in Bi-214 data set	1	Gamma static and scan results were not provided in the SUPR Gamma static and scan surveyor is not listed in the SUPR	1) Significant data quality problems, indicated by the following: Multiple Cs-137 results at or below 0 2) Offsite lab mass not reported for 6PBFS-005-115 3) Two FSS samples have high Bi-214 outliers.	Navy should provide missing scan/gamma static data.	
2	Cs-137 results all low, with multiple negative results - indicating a data quality issue	K-40 FSS has a different slope than other radionuclides FSS (includes negative values) Large range of K-40 results . Ac-228, Bi-214, and K-40 have slope breaks indicating multiple populations.	1) Gamma static and scan results were not provided in the SUPR 2) Gamma static and scan surveyor is not listed in the SUPR 3) Names of samplers/surveyors not provided in SUPR 4) One Bi-214 result in FSS reported at 0. 5) Pb-212 results were higher for TU006 than the average for Parcels B and D-2.	Onsite lab data inconsistent with off- site lab data	Inconsistencies noted (e.g., one Bi 214 result below 0)	0.5	Name(s) not provided	Name(s) not provided	1) One Bi-214 result in FSS reported at 0. 1 2) Pb-212 results were higher for TU006 than the average for Parcels b and D-	1 2.	Gamma static and scan results were not provided in the SUPR Gamma static and scan surveyor is not listed in the SUPR The SUPR	1) No confirmatory/biased samples collected for FSS 2) One Bi-214 result in FSS was below zero. 3) Large range of K-40 values (2.778 - 19.527 pCl/g) 4) High static count recorded at 9,132 cpm compared to surrounding TUs. Offsite samples from Eberline Services are inconsistent with Ac-228 data from all TUs. 5) Pb-212 results were higher for TU006 than the average for Parcels B and D-2.	Navy should provide missing scan/gamma static data.	
2	1) Cs-137 results all low, with multiple negative results - indicating a data quality issue 2) One outlier for Bi-214 and Ac-228, three outliers for K-40 identified. 3) Three FSS samples have unusually small variance	Slope breaks in K-40 and Ac-228 FSS datasets indicating multiple 1 populations	1) Gamma static and scan results were not provided in the SUPR 2) Gamma static and scan surveyor is not listed in the SUPR 3) Names of samplers/surveyors not provided in SUPR 4) TU007 has the highest static count of 9,132 cpm compared to surrounding TUS. No signature form the site RSO was recorded.	reported sample masses were different between onsite and offsite lab. It appears the onsite and offsite labs did not count the same sample.	·	1	J. Cunningham	Name(s) not provided	1) Differences in recorded collection date for sample 10; reported sample masses for this sample were different with the offsite lab recording an unusually low mass. It appears the onsite and offsite lab did not analyze the same sample. 2) Delayed counting of samples (12 and 14 through 18) of four days after collection. 3)Sample 10 had 2 collection dates, and reported sample masses were differe between onsite and offsite lab. It appears the onsite and offsite labs did not count the same sample. 4) Delayed counting of sample (4 days). One sample was recounted in 2010 part of a quality review. 5) Several Ac-228 results at or below 0; outliers identified for Ac-228, Bi-214, 40 indicating potential data quality issues and/or falsification 6) Highest count recorded was 9,132 cpm for location 004. 7) No confirmation/bias samples collected	nt 1	Gamma static and scan results were not provided in the SUPR Gamma static and scan surveyor is not listed in the SUPR	1) Scan and static data not provided in RACR or SUPR 2) Names of samplers/surveyors not provided in the SUPR 3) 16 of 18 FSS sample results for Cs-137 were less than zero.	Navy should provide missing scan/gamma static data.	
2	Ac-228 and Cs-137 results low, with multiple negative results - indicating a data quality issue	K-40 FSS has a different slope than other radionuclides FSS (includes 1 negative values)	Gamma static and scan results were not provided in the SUPR Gamma static and scan surveyor is not listed in the SUPR Names of samplers/surveyors not provided in SUPR	Seven final systematic samples have results at 0 based on offsite lab results. This is inconsistent with onsite. Low activities reported in samples 002, 007, 011, 012, 103; seven FSS samples have results at 0 based on offsite lab results.	Low values for Ac-228, Bi-214, and K-40 on the same day. The K-40 data range large: from 1.03 through 18.74 pCi/g.	0.5	Name(s) not provided	Name(s) not provided	Seven FSS samples have results at 0 based on offsite lab results; eight samples have low activities when compared to TU009.	1	Gamma static and scan results were not provided in the SUPR Gamma static and scan surveyor is not listed in the SUPR	Significant data quality problems, indicated by the following: Multiple Cs-137 results at or below 0 2) TU contained sewer line that was connected to or downstream from radiologically impacted buildings 140 and 130	Navy should provide missing scan/gamma static data.	
2	Ac-228 and Cs-137 results low, with multiple negative results - indicating a data quality issue	K-40 FSS has a different slope than other radionuclides FSS (includes negative values). Slope breaks in Ac- 228, Bi-214, and K-40 data sets suggest different populations.	1) Gamma static and scan results were not provided in the SUPR 2) Gamma static and scan surveyor is not listed in the SUPR 3) Names of samplers/surveyors not provided in SUPR	Consistent	1 Bi-214 FSS sample, 3 Ac-228 FSS samples and 1 K-40 FSS results below 0. 2 offsite (Eberline) FSS results at 0. K-40 range is large (- 0.905 0 16.84 pCi/g).	0.5	Name(s) not provided	Name(s) not provided	Two samples counted one day. Remaining samples counted 3 days later.	1	Gamma static and scan results were not provided in the SUPR Gamma static and scan surveyor is not listed in the SUPR SUPR	Significant data quality problems, indicated by the following: Multiple Cs-137 results at or below 0 2) TU contained sewer line that was connected to or downstream from radiologically impacted buildings 140 and	Navy should provide missing scan/gamma static data.	
2	Cs-137 results all low, with multiple negative results- indicating a data quality issue. Bi-214 FSS_SYS has low variability.	None noted 6	Gamma static and scan results were not provided in the SUPR Gamma static and scan surveyor is not listed in the SUPR Names of samplers/surveyors not provided in SUPR	Fairly consistent	None	0		C. Fluty	1) Form notes, "FSS samples (247 and 257) analyzed on 6/22/2007. • FSS samples (246, 251, 258, 250, 252, 256, 253, 254, 259, 261, 262, 255, an 260) analyzed on 6/23/2007. • FSS samples (258 and 263) analyzed on 6/26/2007." Analysis of samples or different days suggests potential substitution.	1	RSO Signature missing from Gamma Static and Scan Data. 2) All samples analyzed in June 2007 except for one analyzed on October 8, 2010			
2	Cs-137 results all low, with multiple negative results - indicating a data quality issue	K-40 FSS has a different slope than other radionuclides FSS (includes negative values). Ac-228 and K-40 1 have slope breaks indicating multiple populations.	Gamma static and scan results were not provided in the SUPR Gamma static and scan surveyor is not listed in the SUPR Names of samplers/surveyors not provided in SUPR	Offsite and Onsite data within 1 order of magnitude	None noted.	0.5	Name(s) not provided	Name(s) not provided	1) 11 samples counted 7 months later; potential for substitution.	1	Gamma static and scan results were not provided in the SUPR Gamma static and scan surveyor is not listed in the SUPR SUPR	1) 11 samples recounted 7 months later. No explanation for this.	Navy should provide missing scan/gamma static data.	
2	Cs-137 results all low, with multiple negative results indicating a data quality issue. Bi-214 FSS_SYS has low variability.	K-40 FSS has a different slope than other radionuclides FSS. Slope breaks in Ac-228 and K-40 data sets indicating multiple populations.	Gamma static and scan results were not provided in the SUPR Gamma static and scan surveyor is not listed in the SUPR SI Names of samplers/surveyors not provided in SUPR	Acceptable comparable data sets Neither Eberline nor TestAmerica reported the sample mass	Ac-228 and Pb-214 have low means, 1 negative result is reported for Bi-214, Ac-228, and K040.	0.5	Name(s) not provided	Name(s) not provided	Different populations for K-40, Ac-228 and very low variability for Bi-214 FS data set. 1	1	Gamma static and scan results were not provided in the SUPR Gamma static and scan surveyor is not listed in the SUPR		Navy should provide missing scan/gamma static data.	
2	Bi-214 and K-40 RAS results look like they are from a different population than other surveys Cs-137 results all low, with multiple negative results- indicating a data quality issue	Ac-228, Bi-214, K-40 RAS data sets have a different slope than other 2 surveys	Form notes, "Gamma static counts ranged between 4960 and 5536, an unusuall narrow range for heterogeneous material. However, the gamma static counts are consistent with the gamma scan range, but are not consistent with the analytical results of the FSS dataset."	(10Y) However one cample was	1 Ac-228 FSS result below 0.	0	Name(s) not provided	J. Rosenhagen	1) Box Pots and QQ plots of RAS results for Ac-228, Bi-214, and K-40 appear to be from a different population than other surveys 2) Th-232 decay chain radionuclides are not in equilibrium in the FSS. 1 3) The Data Eval Form states in Section 4 "Gamma static counts ranged between 4960 and 5536, an unusually narrow range for heterogeneous material. However, the gamma static counts are consistent with the gamma scan range but are not consistent with the analytical results of the FSS dataset. The inconsistencies in the pattern of data ranges and lack of comparable results indicates faisification most likely occurred.	en 1	Sampler/surveyor name not provided in Work Plan.	1) FSS Results for the thorium series included two negative Ac-228 results, Bi-212 at 0.47 pCi/g, and Ti-208 at 0. These concentrations do not indicate that the Ti-232 decay chain is in equilibrium as would be expected for native soils. This data indicates there are data quality issues, and may also be associated with falsification of results. 2) Sample 6PBFS-013-29 counted onsite on 10/02/06, and recounted about 2 years later on 12/01/08 by offsite lab. 3) Fss-SYS, FSS-BIAS and RAS samples all collected on 9/25/2006	consistent with the gamma scan range, but not consistent with the analytical results. Please explain.	ss 66 is n hee n.

1) Ac-228, Bi-214, and K-40 all have variance in the FSS results. Potenti fallification TU014 2 2) Cs-137 results all low, with mult results - indicating a data qual	y indicates Negative results reported fo and Bi-214 RAS survey, alte slope so variance in populat not be evaluated visua	g the 5 1) Gamma static and scan surveyor is not listed in the SUPR The Data Eval form states "Or offsite data is satisfied and is so and scan surveyor is not provided in SUPR Confision and provided in SUPR Confision	1 Bi-214 FSS result below 0.	0.5 Name(s) not provided	Name(s) not provided	1) Ac-228, Bi-214, and K-40 all have extremely low variance in the FSS results. The unusual small variance in results can not be explained by any reasonable argument, therefore the reviewer believes this is an indication of falsification 1 2) Missing scan and static data in SUPR, in addition to the noted lack of normal variability in the FSS results for Ac-228, Bi-214, and K-40 all have extremely low variance in results can not be explained by any reasonable argument, therefore the reviewer believes this is an indication of falsification the SUPR 1) Gamma static and scan surveyor is not listed in the SUPR This TU014 was located downstream and/or was connected to a radiologically-impacted building (Bidg. 114), indicating a higher likelihood that the Sewer lines and trench were radiologically contaminated. Navy should provide missing scan/gamma static data. Navy should provide missing scan/gamma static data. Navy should provide missing scan/gamma static data.
Cs-137 results all low, with multiple r indicating a data quality is		The Data Eval Form states comparison results were not signed by the RSO The Data Eval Form states comparison results for sample and 124) were not equivalent 40, Ac-228, and Bi-214.		0 Name(s) not provided	P. Vigil	1) The Data Eval Form states "The comparison results for samples (110 and 124) were not equivalent for K-40, Ac-228, and Bi-214." 2) FSS samples (111 through 115, 117 through 124 and 127) were counted on 1/7/2007. Sample 125 was counted on 9/10/2010. Only samples 130, 116, and 126 were counted within 2 working days on 1/21/2006. The Christmas and New Year's holidays occurred during this period. 1) The Data Eval Form 'Summary of Findings' Summary of Findings' Summar
1) Data Eval Form states, "Final syste within the normal distribution. One identified for Ac-228." 3) Cs-137 results all low, with multinesults - indicating a data qual	indicating data quality issu 228, B-214, and K-40 data pi e negative slope breaks indicating m	Its, 1) samma static and scan results were not provided in the SUPR. The data are not consistent fr AC- 1 (2) Gamma static and scan surveyor is not listed in the SUPR 228 and K-40), the offsite lab have	sults 1 AC-228 FSS result is below 0, K-40	0.5 Name(s) not provided	Name(s) not provided	1) Missing scan and static data and signature of surveyors or samples missing 2) Inconsistency between offsite and onsite lab results between onsite and offsite lab, large range of K-40 values 3) Long time interval between when samples 066, 068, 073, and 078 were collected (2006) and analyzed (9/13/10). Data Eval Form states 'FSS samples (066, 068, 073, and 078) were analyzed on 9/13/2010. The sample collection date was on 12/28/2006. 3) Names of surveyors/samplers not provided in SUPR. 1 1) Gamma static and scan results were not provided in the SUPR 2) Gamma static and scan surveyor is not listed in the SUPR 3) Names of surveyors/samplers not provided in SUPRs.
TU017 2 Cs-137 results all low, with multiple n indicating a data quality is			the cause -228 tency -ec of the sthat lab None noted. ct Ac- ate ck of qually emed ee of	0.5 Name(s) not provided	Name(s) not provided	1) Logic Test 4 states FSS samples 072, 076, 077, 079, 080, and 081 analyzed within 2 working days. FSS samples 076, 095, 079, ond 075 were analyzed on 21/12/080. The survey days seems to 21/2006. The survey days seems to 2 possible of 11/28/2006. The boat Evaluation Form states "The same survey was conducted on 11/28/2006. The boat Evaluation Form states "The same survey date seems to be a mistake." 1 3) The Data Evaluation Form states. "The worker, the reviewer notes that the survey date seems to be a mistake." However, the reviewer notes that the survey date seems to be a mistake." However, the reviewer notes that the survey date seems to be a mistake. The FSS samples of 3/6/2008 approved an 3/2/8/2006. The bate Evaluation Form states "The Sammary of Findings states "The K-S Test Flagged Pb-214, which was reported at higher concentrations than other survey was performed on 11/28/2007. The survey date seems to be a mistake." The Summary of Findings states "The K-S Test Flagged Pb-214, which was reported at higher concentrations of the survey was an approved an 3/26 persent. The Data Evaluation Form states "The K-S Test Flagged Pb-214, which was reported at higher concentrations than other survey was the part of the survey was the part of the survey was the provide insight into whether results in TU017 were faisfied or not. 2) Sampler/Surveyor names are missing from the SuPR. 2) The Summary of Findings states "The K-S Test Flagged Pb-214, which was reported at higher concentrations than other survey was the Pb-214 and Ra-226 results from the analysis were comparable. This information would provide insight into whether results in TU017 were faisfied or not. 2) The Summary of Findings states "The K-S Test Flagged Pb-214, which was reported at higher concentrations than other survey was approved on 3/6/2006. The trade of the Supra Pb-214 and Ra-226 results from the safe Ra-226 is present. The Data Eval Test Ranged Pb-214, which was reported at higher concentrations than other survey was approved on 3/6/2006.
TU018 2 Cs-137 results all low, with multiple n indicating a data quality is			from Porm 1) One Ac-228 FSS result was reported below 0.	1 R. Roberson	Name(s) not provided	1) The Data Evaluation Form Summary of Findings states "The K-S test flagged Pb-214, Ac-228, and Pb-121. These radionucides, plus 8i-214 and 8i-212, presented higher-than-average results in TUDIS compared to the rest of Parcel 8. High results are not considered to be evidence of potential data fashication." The reviewer notes, however, that elevated concentrations of Bi-214 and Pb-214 indicate the presence of elevated Pa-226, but the Data Evaluation Form does not state if comparable Ra-225 results were reported and if so, if these levated concentrations of Pi-322, however the Data Evaluation Form has not stated if this is the case or if the data are deemed to be anomalous. Further investigation by the Navy is needed. 1) The Data Evaluation Form Summary of Findings states. The K-S test flagged Pb-214, K-S test flagged Pb-214, Ac-228, indicate the presence of elevated Pa-226 results were reported and if so, if these levated concentrations of Bi-214 and Pb-214 indicate the presence of elevated Pa-226 results were reported and if so, if these levated concentrations of Bi-214 and Ac-228 indicate the presence of elevated Pa-226 results were reported and if so, if these levated concentrations of Bi-232, however that elevated none that the summary of Findings states. The K-S test flagged Pb-214, Ac-228, and Pb-121. These radions of Bi-214 and Pb-214 indicate the presence of elevated Pa-226 results were reported and if so, if these levated concentrations of Bi-232, however that elevated none and part of the summary of Findings states. The K-S test flagged Pb-214, Ac-228, indicate elevated to be anomalous. Further investigation by the Navy is needed.
Cs-137 results all low, with multiple n indicating a data quality issue. Bi-21 TU019 2 FSS_Bias have low variability. Ac-2 FSS_Bias have ligher mean and low than the FSS_SYS data se	ress_sys and and K-40 and K-40 variability include negative values, inc	ating 2) Gamma scan survey was performed on 9/29/06 at 1013, during FSS sample onsite Offsite (Eberline) me collection. Collection of scan data at the same time that FSS samples are collected is suspicious because the MARSSIM approach requires the gamma scan data be both samples 014 and 027 or	2) Final Sissed Seed Two Ac-228 FSS results are reported near 0. for reted less	0 Name(s) not provided	P. Vigil	1) On- and offsite samples had a different weight for sample 027 (difference of 102 grams). 2) Bi-214, K-40, Bi-212, all had the 3rd lowest results of all the TUs in Parcels B & D-2. In addition, Pb-214 mean results is the lowest of all TUs in Parcels B & D-2. In addition, Pb-214 mean results is the lowest of all TUs in Parcels B & D-2. In addition, Pb-214 mean results is the lowest of all TUs in Parcels B & D-2. In addition, Pb-214 mean results is the lowest of all TUs in Parcels B & D-2. In addition, Pb-214 mean results is the lowest of all TUs in Parcels B & D-2. In addition, Pb-214 mean results is the lowest of all TUs in Parcels B & D-2. In addition, Pb-214 mean results is the lowest of all TUS in Parcels B & D-2. In addition, Pb-214 mean results in Information does not exist to determine the reason for the low values. The reviewer also notes that it is also possible the unusually low mean values for this data may be due to falsification.
	nn. For K-40, r variability - of samples. e negative breaks in the FSS_SYS data s	Evaluation Form states this range is consistent with the gamma scan data; however the scan survey data ranged from 4.200 and 7,100 cpm. Therefore, the Static data is between onsite and offsite dat of consistent with the scan data since the range for the static surveys is very small compared to the scan data and what would be expected for environmental surveys compared to the scan data and what would be expected for environmental surveys.	"[N]o ade 3 Ac-228 Biased results below or vide near 0.	0 Name(s) not provided	P. Vigil	1) Gamma static and scan date and time not provided in the SUPR 2) Gamma Static Survey data ranged between 5,583 and 6,708 cpm. The Data Evaluation Form states this range is consistent with the gamma scan data; however the scan survey data ranged rough capture data ranged from 4,200 and 7,100 cpm. Therefore, the Static data is not consistent with the scan data since the range for the static surveys is very small compared to the scan data and what would be expected for environmental surveys of land areas. 1 1 3 Gamma static and scan date and time not provided in SUPR. 1 2 1 3 Gamma static and scan date and time not provided in SUPR. 1 3 Gamma static and scan date and time not provided in SUPR. 1 4 5 The Data Evaluation Form states "Njo direct comparison could be between onsite and offsite data." The reviewer requests the lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-2 Pb-214 mean result is 3rd lowest of TUs in Parcels 8 & D-
1) Bi-214 results have very low var notes, "Bi-214 standard deviation is TU021 2 (0.11 pC/g) for Final Systematic samp results all low, with multiple negal indicating a data quality is	set has slope breaks india e results - 2) Form notes " Bi-214 r	data data data ng 2) Gamma static and scan date and time not provided in the SUPR as datiscarolly. The reviewer a ng 1 2) Gamma static and scan range of data values too narrow for measurement of heterogeneous environmental land areas. 2) Gamma static and scan range of data values too narrow for measurement of heterogeneous environmental land areas. data values beto onsite and offsite data, but ince-	rr by 6 vs. ss ottes scern 1 Ac-228 FSS result below 0. en attion	1 A. Jahr	Name(s) not provided	1) Suspect worker involved in data collection at TU020. 1) Gamma Static Survey data ranged between 5,728 and 6,427 cpm. In contrast to the Data Evaluation Form for TU020, the Data Evaluation Form states this range is an unusually narve wange for heterogeneous soil but is consistent with the gamma scan range and the FSS dataset. Scan survey data ranged form 5.20 and 6,820 cpm. The reviewer notes that have even notes that him the Static and Scan data have too narrow of a range and therefore is suspect for falsification. 2) For the FSS sample 06, the onsite/offsite K-40 results differ by more than a factor of 10 ft, 796 vs. 0.707). Other data compares astisfactorily. The reviewer notes that having radionuclides of concern have comparable values to be an indication of data falsification and is highly suspect for this TU021. Numerous discrepancies noted in the data (i.e., unusually low values and data ranges, negative Ranges and the reviewer notes that having radionuclides of concern have comparable values and false and offsite data, but very different K-40 results have been proven in the past to be an indication of data falsification and is highly suspect for this TU021. 3) Section II, Item 2 of the Data Evaluation Form states and False Section II, Item 2 of the Data Evaluation Form states and a review of the Ra-226 data shows that the Ra-226 data indicates a false and offsite labs, yet no other sampling was conducted to confirm conditions at TU021. 3) Section II, Item 2 of the Data Evaluation Form states that a review of the Ra-226 data shows that the Ra-226 data indicates a false of the Tus in Farcels B & Doz. In addition, the fact that TU020 and Tu021 were sampled on the same day likely resulted in the disparity between Units and Days flags. 3) Section II, Item 2 of the Data Evaluation Form states that a review of the Ra-226 data

1 For 8i-214, FSS_SYS and FSS_Bias samples low variability. Also, for 8i-214, FSS_Bias sam have lower variability and mean than FSS_S amples. However, for K-40, FSS-Bias samples a higher mean and higher variability than tit FSS_SYS samples. 2]Cs-137 results all low, would be supported by the same support of the same support	Ac-228 and K-40 data sets include negative values, indicating data quality issues.	1 None. comparat exception:	uation Form states "Data able with the following :: 6PBFS-022-34 Pb-210 :: 0.18 vs 4.0189 pC//g).	0 Name(s) n provided		0	1 None. As in all other TUs, significant data quality issues exist, making the data unreliable for decision making and in demonstrating compliance with the ROD release criteria.
TU023 2 1. No Cs-137 plots from Navy 2. Very low vari	Characterization samples appear to be a different population. K-40 sets have different slopes, suggesting different populations	4 No name listed for either scan or static gamma measurements		0.5 No name prov	No name provid	ded 1	1) Some samples were counted between 03/14/2207 and 03/19/2007. Samples #174, #179, #181-183 were counted on 09/99/2010 and 09/10/2010. 2) No name of static or scan surveyor provided in SUPR 1) 2) No name of static or scan surveyor provided in SUPR 1) 3) No name of static or scan surveyor provided in SUPR 1) 3) No name of static or scan surveyor provided in SUPR 1) 3) No name of static or scan surveyor provided in SUPR 1) 3) No name of static or scan surveyor provided in SUPR 2) Some samples were counted between 03/14/2207 and 03/14/22
TU024 2 For Bi-214, blased samples have lower variab than FSS_SYS	FSS_SYS has slope break indicating different populations and slope different than biased samples for Bi-214.	Excavatio which was consistent with static survey results and FSS sample results. No lab ma measurements above the investigation level of 7,300 gcpm were identified during official the performance of gamma consistence in the performance i	3FS-024-114 has an onsite hass of 320 g and an mass of 327 g. The offsite report a mass for sample 110.	1 R. Zahensk	y No name provid	ded 2	1) FSS samples were collected on 11/15/2006. FSS confirmatory/biased samples were collected on 11/01/2006. 2) One final systematic sample has a result below 0 for Bi-214. Sample may have been substituted 3) on- and offsite lab sample had different weights No static survey date and time, no sampler name. Recommend resampling due to uncertainty - different sample masses, low variability for Bi-214
TU025 0	K-40 high variability and range	1 Static survey date and time not provided in SUPR.		1 R. Zahensk	y No name provid	ded 1	1. Samples were counted onsite 10/13/2006, with the exception of #2, #6, and #12, which were counted on 09/13/2010. Sample #14 was counted offsite on 1 No static survey date and time, no sampler name. Some uncertainty because samples counted over 4 years. 2010 counts may be due to recounting at request of Navy or CDPH.
TU026 0 Several Final Systematic Bi-214 samples prese outliers	indicate the potential for at least two	Scan survey performed on 12/14/2006 at 09:30 during FSS sample collection. Gamma Scan range is narrow but consistent with static measurements and the FSS dataset and less than the 3-sigma threshold.		0 No name lis	ed J. Rosenhager	n 0	11/22/2008. Substitution possible. 0 Several Final Systematic Bi-214 samples present as outliers
TU027 0 BI-214 has low variability	different data populations. Slope break or outliers in K-40 plot	1) Static survey date and time not provided in SUPR Gamma static dataset consistent with scan data and Final Systematic sample dataset. 2) Scan survey performed on 11/04/2006 at 10:15 during Final Systematic sample collection. Gamma scan dataset consistent with static data and Final Systematic sample dataset.		1 R. Roberso	n No name provid	ded 1	Form notes, "FSS samples excluding #2 and #3 were counted onsite from 11/07/2006 to 11/09/2006. FSS samples #2 and #3 were counted on 1 No static survey date and time, no sampler name. 11/07/2006 to 11/09/2006. FSS samples #2 and #3 were counted on 09/21/2010. Sample #16 was counted offsite on 11/25/2008." No static survey date and time, no sampler name. 11/07/2006 to 11/09/2006. FSS samples #2 and #3 were counted on 09/21/2010. Sample #16 was counted offsite on 11/25/2008.
TU028 0 Bi-214 has low variability	Slope breaks on K-40 plot, may be 3 or more populations	Static survey date and time not provided in SUPR. Scan survey performed on 11/09/2006 at 08:00 during Final Systematic sample collection. Gamma scan dataset consisten with static data and Final Systematic lays counted on sample dataset. Sample dataset.	s, "FSS samples excluding #15 were counted onsite #2/2006. Sample #5 was miste on 09/20/2010 and eed offsite by Eberline on 5. Sample #95 6 on 10/6/2010. Sample #15 6 of an 10/6/8/2010. Sample punted offsite by Eberline 11/2006 and offsite by erica on 11/24/2008. "	1 R. Zahensk	y No name provid	ded 1	Some samples counted years later, unclear if these were the original samples. 1 No static survey date and time, no sampler name.
TU029 0	Slope breaks on Ac-228, Bi-214, K-40 plots, indicating as many as 3	No signature from the site radiation safety officer (RSO) was recorded for static or gamma scan surveys. Samma scan surveys. Samma scan surveys.		0 No name prov	ided J. Rosenhager	n 1	On-site lab counted samples over 4 days. 1 No signature from RSO on gamma static or scan surveys. Single set of FSS_SYS samples suggests falsification less likely; work done in 2006.
TU030 0 Bi-214 has low variability	populations. Slope breaks on K-40 plot, may be 3 or more populations	fairly narrow range. Static surveyor name not provided in SUPR.		0 No name prov	ided P. Vigil	0	1 Static surveyor name not provided in SUPR.
TU033 0	Slope breaks on Ac-228, Bi-214, K-40 plots, indicating as many as 3 populations.	Static survey date and time not provided in SUPR.		1 R. Zahensk	y No name provid	ded 0	1 No static survey date and time, no sampler name.
TU036 0	Slope breaks on Ac-228, Bi-214, K-40 plots, indicating as many as 3 populations.	1		0 No name prov	ided P. Vigil	0	1 Sampler/surveyor name not provided in SUPR.
TU037 2 BI-214 FSS_SYS has lower variability than other	Each data set has a different slope on the K-40 plot, and to some extent on	2 Form notes that the gamma static form was undated.		0 No name prov	ided C. Fluty	1	Form notes, "Samples were counted on 03/14/2007 or 03/15/2007; five samples were re-analyzed in 2010 during lab method review by EPA and CDPH" and ". A combination of samples analyzed in March 2007 and reanalyzed samples from September 2010 were reported as the FSS survey results." Unclear why the original on-site lab results were replaced. May explain different populations, or not.
1. For Bi-214, FSS, Bias have lower mean th TU039 2 FSS_SYS. For K-40, FSS, Bias have lower varial and a much lower mean.		was reporte Form notes, "Static survey date and time not provided in SUPR." lab and 3: Sample 6 Sample 6	s, " Sample 6PBFS-039-14 ted at 337 g by the offsite 377 g by the onsite lab. 6PBFS-039-09 was not ed by the offsite lab."	0 No name prov	ided P. Vigil	1	Form notes, "Samples 6PBFS-039-10, -12, -13, -16, -17 through -19, and -22 through -26 were all analyzed more than 2 days after collection." 1 No static survey date and time, no sampler name. Resample due to different weights for on-site/off-site lab samples, fact that samples were counted later than others, indications of different populations for Bi-214, K-40, and Ac-228.
Bi-214 and Ac-228 FSS, Bias have lower variand means than other data - extreme different Bi-214. Bi-214. Tu040 (8i-214).* Tu040 (8i-214).*	for slope breaks indicating different	2. For gamma survey, form notes, "Scan range for the 2350-1 instrument is 4,000 to Ac-228, Bi-2:	s, "Data is inconsistent for 214, and K-40. The offsite ts appear to be erratic."	0 No name prov	ided C. Fluty	1	Form notes, "One FSS sample (040) were analyzed on 02/28/2007." This suggested No signature from RSO on gamma static or scan surveys. Resample due to different weights for on-site/off-site lab samples, indications of different populations for Bi-214, K-40, and Ac-228, and low variability and evidence of different populations for Bi-214, Ac-228, and K-40.
TU041 0	Slope breaks on Ac-228, Bi-214, and K 40 graphs indicating different populations.	Form notes, "Static survey date and time not provided in SUPR."		1 R. Roberso	n No name provid	ded 0	1 No static survey date and time, no sampler name.
TU042 2 FSS_Bias have lower variability than FSS_SYS for 228, Bi-214, K-40.	FSS_SYS and FSS_Bias have different	Form notes, "Scan range for the 2350-1 instrument is 3,800 – 5,400 cpm. The 3-sigma investigation level for the 2350-1 instrument was 8,948 cpm. No signature from the site RSO was recorded on this survey." Also, no signature for gamma static survey.	s, " Data is inconsistent in n to Ac-228, K-40, and Bi- 214."	1 R. Roberso	n No name provid	ded 1	1. FSS_SYS Samples counted on 4 days, and not sequentially. Form notes: " • FSS sample (132) analyzed on 07/14/2007 • FSS samples (111, 121, 122, 123, 124, 124, 124) analyzed on 07/17/2007 • FSS samples (111, 121, 122, 124, 124, 124, 124, 124) analyzed on 07/18/2007. • FSS samples (111, 121, 122, 124, 124, 124, 124, 124,
TU043 2	FSS_Bias has slope breaks for Bi-214 and K-40 suggesting different populations.	an onsite lat 2 Form notes, "Static survey date and time not provided in SUPR." 2. Form old 3-122, the 228 concents large betwe	otes, "6PBFS-043-113 had ab mass of 334 grams and lab mass of 332 grams." otes, "For sample 6PBFS- ne difference between Actrations were significantly ween onsite (0.874 pc/g) offsite (0.0 pc/g)."	1 R. Zahensk	y No name provid	ded 1	1. FSS_samples were counted over 1 week, suggesting possible substitution. Form notes, "Samples were counted from 03/21/2007 through 03/28/2007." 2. Different weights (2 grams) between on-site and off-site lab. 1 No static survey date and time, no sampler name. Resample due to sample counting over 1 week (potential for substitution), different weights between on-site and off-site lab, large difference in 1 Ac-228 result, and evidence of different populations on Q-Q plots.

TU044 2		K-40 has multiple slope breaks suggesting different populations. Bi- 214 and Ac-228 may also have slope breaks, but more subtle.	Form notes, "Date and time of static survey not provided in SUPR."	0 No name provided	C. Fluty 1	1. FSS_samples were counted over 6 days suggesting possible substitution. Form notes, "Samples were counted between 03/23/2007 and 03/28/2007." 2. Samples have different weights. Form notes, "6PBF5-044-01 has an onsite lab mass of 375 grams and an offsite lab mass of 374 grams, 6PBF5-044-12 has an onsite lab mass of 318 grams and an offsite lab mass of 324 grams." No static survey date and time, no sampler name. No static survey date and time, no sampler name. populations based on the K-40 Q-Q plot.
TU045 2		For K-40 and to a lesser extent Ac- 228 and Bi-214, FSS_SYS has different slope than other data sets, and slope breaks indicating different populations. Form notes, The Ac- 228 and K-40 results display characteristics of multiple data populations."	Form notes, "Static survey date and time not provided in SUPR. Gamma static dataset is consistent with gamma scan dataset and inconsistent (low variability) with FSS sample dataset."	0 No name provided	P. Vigil 1	1. Form notes, "FSS samples were counted within 2 days of collection. FSS-BIAS samples SPBFS-Q45-O01 and -035 were counted between 23 and 34 days after collection." Suggests possible substitution. 2. Low variability and inconsistent gamma static data. No sampler/surveyor name in SUPR Resample due to multiple populations for Bi-214, Ac-228, and K-40 and counting 2 FSS_Bias samples much later (suggests substitution).
TU046 2		K-40 has multiple slope breaks, suggesting different populations. Ac- 228 may have slope breaks.	1	0 No name provided	C. Fluty 1	1. Form notes, "None of the FSS samples (6PBFS-046-01 to -18) were analyzed within 2 working days." Also, "Sample -01 was counted on 04/10/2007," which is more than 2 weeks after collection. Possible indication of sample substitution. Resample due to multiple populations for K-40 and possibly B-214 and because one FSS_ Blas sample was counted on a completely different day than the others (which were not counted within 2 days of collection). These indicate possible sample substitution
TU047 2	K-40 FSS_Blas has low variability (much lower than FSS_SYS). Mean is also lower than FSS_SYS.	K-40 data sets each have different slope and FSS_SYS has slope breaks, indicating different populations. Ac- 228 and Bi-214 data sets also have different slopes and slope breaks, but less pronounced than K-40."	3	0 No name provided	C. Fluty 1	1. Form notes, "FSS samples 6PBFS-047-74 through-80, -82 through 90 were analyzed on 06/30/2007. FSS samples 6PBFS-047-81 and -91 were analyzed on 06/30/2007. FSS samples 6PBFS-047-81 and -91 were analyzed on 06/30/2007. FSS samples 6PBFS-047-25 through-43 were analyzed on 24 days after collection. All to the samples were counted within 2 weeks of sample collection." This suggests potential substitution.
TU048 2		1. Ac-228 and K-40 have slope breaks indicating different populations. Bi- 214 has tow variability. 2. Form notes, "The graph for Bi-214 shows relatively low variability.	Form notes, "The Ac-228 data are not consistent. The offsite lab reported one Ac-228 result at zero."	0 No name provided	P. Vigil 1	1. Form notes, "• One FSS sample (012) was analyzed on 05/17/2007. • One FSS sample (002) was analyzed on 05/17/2007. • One FSS sample (008) was analyzed on 06/12/2007. • One FSS sample (008) was analyzed on 06/12/2007. • One FSS sample (008) was analyzed on 09/10/2010. • One FSS sample (016) was analyzed on 09/10/2010. • One FSS sample (016) was analyzed on 09/10/2010. • SS ample (016) was analyzed on 09/10/2010. • One FSS ample (016) was analyzed on 09/10/2010. • SS ample (016) was analyzed on 09/10/2010. • SS ample (016) was analyzed on 09/10/2010. • SS ample (016) was analyzed on 09/10/2010. • One FSS ample (016) w
TU049 2	For Bi-214, Cs-137, and Ac-228, FSS_SYS has very low variability and a lower mean than other data sets. However, for K-40, FSS_Bias has very low variability.	indicating multiple populations. Most	1. Unusually low range for gamma statics. Form notes for statics, "The static data ranged from 4,200 to 5,200 cpm. There is hardly any essentially no overlap between the scan and the static data. The static data are not consistent with the FSS data. The range of the static measurements is approximately the range expected from statistical counting variability." 2. Form notes for gamma scan, (fiste lab were recorded at zero. The "The scan range for the 2350-1 Instrument is 5,000-7,000 cpm. The 3-sigma investigation level for 2350-1 Instrument tas 8,875 cpm. The scan flast are inconsistent with the static data and somewhat consistent with the FSS data."	0 No name provided	P. Vigil 1	Unusually low range for gamma statics; gamma static survey is inconsistent with gamma scan and FSS data. No signature from RSO on gamma static or scan surveys. No signature from RSO on gamma static or scan surveys. 1. TU49 modified after 5 rounds of excavation and sampling to move contaminated area to TU 50. 2. Resample due to low variability gamma statics, which were inconsistent with FSS data, as well as low variability FSS_Bias for K-40.
TU050 2	K-40, Cs-137 FSS_SYS have low variability.	1. FSS_Bias line has different slope for Ac-228 and Bi-214. 2. Form notes, "The quantile plots indicate multiple soil types were sampled."	1. For gamma static data, form notes, "Static survey date and time not provided in SUPR. Gamma static dataset inconsistent (low aviability) with scan data and final Systematic sample dataset with results between 3.998 and 4,855 cpm. Mean result of 4,201 ±211 cpm." 2. For gamma scan, form notes, "Gamma scan range is 4,350 – 14,200 cpm, with the investigation level at 7,100 cpm. Gamma scan dataset is not consistent with static data or final systematic sample dataset." 3. Form concludes that the "Final Systematic samples appear to have been properly collected in the areas of highest gamma scan and hot spots weren't avoided." at 16, indicating that the onistic samples samples appear to have been properly collected in the areas of highest gamma scan and hot spots weren't avoided." at 16, indicating that the onistic samples samples appear to have been properly collected in the areas of highest gamma scan and hot spots weren't avoided." at 16, indicating that the onistic samples samples appear to have been properly collected in the areas of highest gamma scan and hot spots weren't avoided." at 16, indicating that the onistic samples samples appear to have been properly collected in the areas of highest gamma scan and hot spots weren't avoided." at 16, indicating that the onistic samples samples appear to have been properly collected in the areas of highest gamma scan and hot spots weren't avoided." at 16, indicating that the onistic samples samples appear to have been properly collected in the areas of highest gamma scan and hot spots weren't avoided." at 16, indicating that the onistic samples samples appear to have been properly collected in the areas of highest gamma scan and hot spots weren't avoided." at 16, indicating that the onistic sample samples appear to have been properly collected in the areas of highest gamma scan and hot spots and high spo	33, 484, low Several 0 Name not provided simples Final B4, and	C Hughes 1	1. Form notes: "Gamma static dataset inconsistent (low variability) with scan data and final Systematic sample dataset with results between 3,998 and 4,855 cpm." Also, "Gamma scan dataset is not consistent with static data or Final Systematic sample dataset." 2. Low variability for Bi-214, Ac-228, K-40 FSS_Bias samples 1. Resample due to low variability gamma static data set that was inconsistent with scan data and the FSS data set. Also, low variability of B-214, Ac-228, K-40 FSS_Bias samples suggests these are not related to the gamma scan data. 2. Low variability for Bi-214, Ac-228, K-40 FSS_Bias samples
TU050A 2	K-40, Cs-137 FSS_Blas have low variability, for K-40 appears to be a different population	K-40 FSS_Bias samples line has a different slope than the other plotted data. Form notes for Ac-228, "The quantile plot for Ac-228 indicates that multiple soil types may be present in the trench unit."	samples at the hot spots? 1. For gamma static data, form notes, "Static survey date and time not provided in SUPR. Gamma static data form notes," Static survey date and time not provided in SUPR. Gamma static dataset inconsistent (low variability) with scan data and Final Systematic sample dataset with results between 3,903 and 4,310 cpm. Mean result of 4,074 ±115." 2. For gamma scan, form notes, "Gamma scan eage is 3,840 – 12,580 cpm, with the investigation level at 7,100 cpm. Gamma scan dataset is not consistent with static data or Final Systematic sample dataset."	0 Name not provided	C Hughes 1	1. Gamma static dataset low variability and inconsistent with scan data and Final Systematic sample dataset with results between 3,903 and 4,310 cpm. Also, "Gamma scan dataset is not consistent with static data or Final Systematic sample dataset." SUPR did not have static survey date and time and inconsistency between gamma scan and FSS data set. Also, there are multiple populations for K-40.
TU051 2	For Ac-228 and Bi-214, FSS_SYS have low variability and appear to be a different population.	Ac-228 and Bi-214 FSS_SYS have lower slope suggesting different population.	1. For gamma static data, form notes, "Static survey date and time not provided in SUPR. Gamma static data are consistent with scan data (both low variability) and inconsistent with FSS sample dataset." 23 2. For gamma scan, form notes, "Gamma scan data is consistent with static dataset and inconsistent (low variability) with FSS sample dataset." 1. Form notes, "Observations: Comparing biased, characterization, and final systematic samples (21 samples), the average Ra-226 result reported by the offsite lab is 38.8% of the result reported by the onsite lab.	1 B Evans	Name not provided 1	1. Gamma scan and gamma static data are inconsistent with each other and inconsistent with the FSS data. 2. Collection of FSS_SYS samples on two days may be indication of falsification, particularly since one sample, 336, was collected out of order on the 2nd day. SUPR did not have static survey date and time of the consistent with the FSS_SYS samples were collected on 02/18/2008. Samples-336, -341 through -344 were collected on 02/19/2008. Samples-336 was collected out of order on the 2nd day. SUPR did not have static survey date and time of the consistent with the FSS_SYS samples were collected on 02/18/2008. Samples-336, -341 through -344 were collected on 02/19/2008. Samples-336 was collected out of sequence. Sample 336 was collected out of sequence. 3. Resample due to inconsistent gamma scan and gamma static data, evidence that there are different populations (low variability Ac-228 and Bi-214 FSS_SYS), and potential falsification
TU051A 2	FSS_Bias samples appear to be a different population (low variability) for Ac-228, Bi-214, and K-40. Bi-214 FSS_SYS set has low variability and for K-40, FSS_SYS has higher mean and lower variability.	horizontal than expected (low variability) for Bi-214. Final systematic	1. For gamma static data, form notes, "Static survey date and time not provided in SUPR. Gamma static dataset inconsistent (low variability) with scan data and FSS sample dataset." 2. For gamma scan, for notes, "Gamma scan data is consistent with FSS sample dataset and inconsistent with static data. Scan range for the 2350-1 Instrument is 7,048 cpm." 1. Form notes, "Two FSS samples sent for offsite analysis. Ra-226 results are lower for offsite samples." Also, "Some offsite samples." as counted approximately 1 year later."	atic tial for tial for so. Blas, and Name not provided alay	C Hughes 1	1. Gamma static and gamma scan data are consistent with each other, but inconsistent with he FS_SYS data. 2. Collection of a single FSS_SYS sample 2 days after collection of the others. 1. This TU was split from TU 051 after it underwent 23 rounds of excavation and sampling; 9 more round of excavation and sampling conducted on TU 051A (for a total of 32). 2. One FSS_SYS sample collected 2 days after the others. 3. Resample due to inconsistent gamma scan/fasted data with FSS data are, low variability 8i-214, Ac-228, and K-40 FSS samples, and collection of one FSS_SYS sample 2 days after collection of the others - possible substitution.
TU052 0	FSS_SYS for Bi-214 has somewhat lower variability than other data sets.		Scan and static surveys consistent. Range of statics, 4,400 to 5,500 cpm. 1. Scan and static surveys consistent. Range of statics, 4,400 to 5,500 cpm. 1. Form notes, "Data are inconsistent in comparison to Ac-228. The offsite lab reported two final systematic samples (051 and 065) at 0."	0 Name not provided	C. Fluty 0	1 No signature from RSO for gamma survey and scans 1. Appears off-site lab had trouble with Ac-228 analysis.
TU053 2	FSS_Blas samples for Ac-228, Bi-214, and K-40 have low variability and higher means that the other sample sets; K-40 appears to be a different population. FSS_SYS for Bi-214 have low variability.	FSS_Bias plot with lower slope for K-40, Bi-214, and Ac-228.	1. Form notes, "Data is inconsistent. Samples 117 and 120 Ac 228 concentrations were not detected at the offsite lab after yielding results above the detection limit for the onsite lab." to the populations."	didicate 0 Name not provided	P. Vigil 1	low variability of FSS_SYS and FSS_Bias for Bi-214, apparent different population for K-40 FSS_Bias, and inconsistent off-site lab results. 1. Resample due to low variability of FSS_SYS and FSS_Bias for Bi-214, apparent different population for K-40 FSS_Bias, and inconsistent off-site lab results.
TU054 2	FSS_SYS for Bi-214 and K-40 have somewhat lower variability than other data sets.	K-40 characterization sample set has flatter slope.	1. Scan and static data sets consistent, scan noted to be on the high side of the gamma scan range. Also consistent with FSS samples. 1. 1 out of 7 off-site lab samples had inconsistent weight with the on-site lab samples	1 R. Roberson	Name not provided 1	1. One sample sent to the off-site lab had a different weight than the sample counted by the off-site lab; suggests a different sample may have been sent. 1 1. No date or time for gamma statics in SUPR. 1. No date or time for gamma statics in SUPR. 2. Resample due to inconsistent weight with the on-site lab samples, which may be an indication of falsification. 2. Resample due to inconsistent weight of one off-site lab sample, low variability FSS_5YS for Bi-214 and K-40, apparent different population of K-40 characterization samples.
TU055 2	FSS_SYS for Ac-228 and Bi-214 and FSS_Bias for Bi- 214 and Cs-137 have low variability. Form notes, "Sample distribution of final systematic is slightly less variable compared to Bias and characterization data population."	For K-40, FSS_SYS and FSS_Bias appear to be different populations.	Static maximum (6,889 cpm) inconsistent with gamma scan maximum (14,620 is relatively consistent for Ac-228, Bi-214, and K-40." 1. Static maximum (6,889 cpm) inconsistent with gamma scan maximum (14,620 is relatively consistent for Ac-228, Bi-214, and K-40."	1 J. Cunningham	Name not provided 1	Static max is less than 1/2 of the gamma scan max. 1 1. No RSO signature for gamma scans or survey. 1. Resample due to low variability of FSS_SYS for Ac. 228 and Bi-214 and FSS_Bias for Bi-214 and Cs-137 and inconsistent gamma statics.
TU056 2	K-40 characterization samples have low variability and FSS_Bias samples have lower mean and variability than FSS_SYS samples. May indicate multiple sources.	For K-40, FSS_Sys and FSS_Bias appear to be different populations.	1. Form notes, "Data is inconsistent in comparison to Ac-228, K-40, and Bi-214. Two Ac-228 results were reported at zero by the offsite lab."	0 Name not provided	P. Vigil 0	EPA Stati performed 1 1. No RSO signature for gamma scans or survey. 1. Resample due to low variability and inconsistent K-40 samples, inconsistent off-site lab results. detailed stanlysis in analysis in analys
TU058 2	FSS_SYS and FSS_Bias for Bi-214 have low variability.	Appears to be 2 populations for K- 40 FSS_SYS	Form notes, "The scan data is consistent with the gamma static dataset. The gamma scan and static data do not reflect the range of results from the laboratory data." 1. Form notes, "Data is inconsistent in comparison to Ac-228, Bi-214 and K 40. Two FSS samples (S7 and G3) have results at 0 based on the offsite data."	0 Name not provided	P. Vigil 1	1. Gamma scan and gamma static data are inconsistent with the FSS laboratory data. 1. No RSO signature for gamma scans or survey. 1. No RSO signature for gamma scans or survey. 1. Resample due to gamma scan and static data inconsistency with FSS lab data, multiple populations for K-40, and low variability 8i-214 FSS data.
TU060 2	FSS_SYS for Bi-214 has very low variability.		1. Form notes, "The sample mass was inconsistent for sample 09.2. The onsite lab reported 36 grams while the offsite lab reported 29 grams will the offsite lab reported 29 grams." 2. FSS Samples counted by off-site lab over a year later. 3. Form notes, "Data is inconsistent in comparison to Ac-228. Two FSS samples (092 and 109) have results at zero based on the offsite data. The offsite data Vs onsite data is inconsistent in comparison to Ac-228 and K-40."	1 R. Roberson	Name not provided 1	1. On- and off-site weights for sample 92 were different, suggesting possible sample substitution. 2. Form notes inconsistent results between off-site and on-site lab for multiple radionuclides. 1. No RSO signature for gamma scans or survey. 1. No RSO signature for gamma scans or survey. 1. No RSO signature for gamma scans or survey. 1. No RSO signature for gamma scans or survey. 2. Form notes inconsistent results between off-site lab and counting of samples at off-site lab over a year later, suggesting possible sample substitution; inconsistent results between off-site and on-site lab; and low variability in Bi-214 FSS_SYS data set.

TU061 2 1. FSS_Bias samples for Bi-214 and K-40 have lower variability than FSS_SYS samples.	1. K-40 FSS_SYS and FSS_Bias have different slopes, FSS_SYS has multiple populations. 2. Form notes, "K-40 FSS: Bimodal distribution indicated."	1. Gamma static max is about 1000 cpm lower than gamma scan max.	Form notes, "Biased samples were all taken 'along the trench bottom." The FSS samples, taken over the entire SU, show a broader range of activity, as expected. K-40 activity in the trench bottom was unusually homogeneous."	1 R. Zahensky	Name not provided 1	1. FSS_SYS Samples collected over two days. K-40 has much higher variability and Cs-137 has a much lower variability for samples collected the second day, suggesting different population. Bi-214 samples collected the first day have a lower mean and lower variability than those collected the second day. No reviewer or report data for gamma statics. 1. No reviewer or report data for gamma statics. suggesting different populations. FSS_Bias samples for K-40 and Bi-214 have lower variability than FSS_SYS. Also, gamma static max is a bit low.	EPA Statistician performed more detailed statistical analysis included separately
TU062 0	K-40 FSS_SYS (no bias samples) has slope breaks indicating multiple	1		1 J. Taylor	Name not provided 0	1 No reviewer or report data for gamma statics.	
1. FSS_Bias samples have lower variability than TU063 0 FSS_SYS samples for Ac-228, Bi-214, while the opposite is true for K-40 and Cs-137.		Gamma static (4655 - 6034 cpm) and Gamma survey (4700 to 6100 cpm) ranges are unusually consistent		1 J. Taylor	Name not provided	1 1. No RSO signature for gamma scans or survey. 1. Multiple populations do not necessarily indicate falsification.	
TU064 0 1. FSS_SYS samples have lower variability than oth sets for Ac-228, Bi-214, K-40, and Cs-137		2 1. Gamma static max about 600 cpm lower than gamma survey max. 2 1. Gamma static max about 600 cpm lower than gamma survey max. 3 1. Form notes, "Data in comparison to Ac-2 Two final systematic and 069) have results on the offsite data systematic samples (have low K-40 activity have low K-40 a	8 and K-40. mples (064 zero based wo final 4 and 069) ased on the	0 Name not provi	ed C. Fluty	DON had one sample recounted as part of a quality review.	
TU065 2 1. FSS_SYS Bi-214 samples have low variability	Multiple populations of Ac-228 and 8i-214	1. Form notes about gamma statics: "Static survey date and time not provided in SUPR. Gamma static dataset reported low variability and the range of results was inconsistent with the gamma scan dataset." 2. Form notes about gamma scan "Camma scan dataset." 2. Form notes about gamma scan "Camma scan dataset." 2. Form notes about gamma scan "Camma scan dataset provided in ange of results between 3,200 cpm and 5,400 cpm with an investigation level of 9,321 cpm, and was inconsistent with the gamma static dataset." 1. Form notes, "Two: one of these samples will different offsite labs for every label." 2. Form notes about gamma statics." Two: one of these samples will different offsite labs for every label. The control of the samples will different offsite labs for every label. The control of the samples will different offsite labs for every label. The control of the samples will different offsite labs for every label. The control of the samples will different offsite labs for every label. The control of the samples will different offsite labs for every label. The control of the samples will different offsite labs for every label. The control of the samples will different offsite labs for every label. The control of the samples will different offsite labs for every label. The control of the samples will different offsite labs for every label. The control of the co	analysis, and s sent to two nanalysis. The ty the onsite the twith the first offsite sesuits were did offsite lab	1 R. Roberson	Name not provided 1	1. Gamma scan and gamma statics were inconsistent with each other. Gamma statics had low variability. 1. Resample due to inconsistent gamma scan and gamma statics, low variability Bi-214 FSS_SYS.	
1. FSS_SYS and FSS_Bias have low variability for At 228 and Bs1_214. FSS_SYS have low variability for At 40, but FSS_Bias have low variability for At 40, but FSS_Bias have low variability for Cs-137.	different population. There is a slope	1. No date or time recorded for the static survey in SUPR. 2. Form notes for gamma scan, "Scan survey performed on 04/09/09 at 11:20 after the first final systematic sample was collected." However, the gamma scan should have been performed first, followed by the gamma statics.	for Ra-226. 1. One bias sample below zero for Bi-214.	1 R. Zahensky	Name not provided 1	1. Gamma scan conducted after or during collection of FSS_SYS samples. 1 SUPR did not have static survey date and time 1. Resample due to apparent different populations of K-40 between FSS_SYS and FSS_Bias, low variability of Ac- 228 and Bi-214 FSS_SYS and FSS_Bias.	
1. FSS_SYS and FSS_Bias have very low variability f Ac-228 and Bi-214. FSS_SYS has low variability for 40 and FSS_Bias has very low variability for Cs-13' Mean of K-40 FSS_Bias samples is higher than for other sets.	indicative of multiple populations.	Gamma static (3715-7401 cpm) and gamma scan (3,700 to 7,400 cpm) ranges were unusually consistent (nearly identical). This consistency is suspect.		1 T. Rolfe	Name not provided 1	1. Nearly identical gamma scan and gamma static data ranges. 2. K-40 data appear to indicate different sources for FSS_SYS and FSS_Blas samples. 1 No reviewer or review date for gamma statics. 1 No reviewer or review date for gamma statics. 2. Resample due to unusually consistent gamma static and gamma static and gamma scan data, low variability FSS_SYS and FSS_Blas for Ac-228 and Bi-214 and K-40 FSS_SYS, and the potential that the K-40 sample indicate different sources.	
TU127 2 1. No FSS_Bias samples, even though there were gamma static and gamma scan exceedences.	Slope breaks in FSS_SYS for Ac- 228, 8I-214, K-40, indicating multiple populations.	Form notes about gamma statics, "Gamma static counts ranged between 6,758 and 11,311 cpm; four counts exceeded the IL of 9,160 cpm. The range of gamma static counts is consistent with the gamma scan range and the FSS dataset. No reviewer or review data listed. Form notes about gamma scan, "The gamma scan range was reported between 6,250 and 11,800 cpm, which is consistent with the range of gamma static counts and the FSS dataset. No further explanation is given for additional actions taken as a result of exceeding the IL of 9,160 cpm. These results are unusual in that the scan range and the static range are nearly identical."	within one ctor of 10)." there could	1 A. Smith	Name not provided 1	1. Unusually consistent gamma scan and gamma static data ranges. 2. Possible factor of 8 or 9 difference between on-site and off-site lab results. 3. No FSS_Bias samples even though there were exceedences in the gamma static data. 1 No reviewer or review date for gamma statics. 1 No reviewer or review date for gamma statics. 1 Resample due to unusually consistent gamma scan and gamma static data ranges, failure to collect bias samples when there were gamma scan and gamma static exceedences, multiple populations in FSS_5YS data for Ac-228, Bi-214, K-40.	
TU128 2 1. Characterization samples appear to be a differe population for Bi-214 and K-40 due to very low variability, possibly Ac-228 due to lower mean and data range.	different sources due to different	Form notes about gamma statics, "No date or time recorded for static survey in SUPR. Gamma static dataset consistent with scan data (on the higher end of the scan ranee) and FSS dataset." 3 Form notes about Gamma scan, "Gamma scan exceeded the scan threshold, but SUPR doesn't reference the count rate exceedances."	14.16	1 R. Zahensky	Name not provided 1	1. Samples appear to be from different sources (data sets have different slopes and slope breaks) 1 SUPR did not have static survey date and time 1. Resample due to different sample sources, based on K-40 and Ac-228 Q-Q plots.	
1. FSS_Bias has low variability for Ac-228, Bi-214, and K-40; K-40 also has lower mean than FSS_SYS SS_SYS has low ariability for Bi-214. These observations suggest different sources/population	different slopes for K-40 and there is	1. Form notes about gamma statics, "Static survey date and time not provided in SUPR. Gamma static measurements ranged between 2.452 and 6.581 cpm and are consistent with the reported gamma scan range and FSS dataset." 2. Form notes about gamma scan, "The scan survey was performed on 05/08/09 at 12:25; however, this date may be a reporting error since it is more likely the survey date would have been 05/28/09. Gamma scan range listed as 2,020 to 7,020 cpm—less than the IL of 9,160 cpm. Gamma scan range is consistent with the gamma static measurements range and FSS dataset."	within one ctor of 10)." there could	1 R. Zahensky	Name not provided 1	1. Possible failure to collect gamma scan after final excavation and before FSS_SYS samples were collected. 2. Possible factor of 8 or 9 difference between on-site and off-site lab results. 3. Data indicate different sources (populations) for Bi-214, K-40 and Ac-228. 1 1 SUPR did not have static survey date and time. 2. Gamma scan may not have been conducted after final excavation. 1. Resample due to different sources as indicated by the Bi-214, K-40, and Ac-228 data, possible large differences between on- and off-site lab data, and potential failure to collect gamma scan data after final excavation.	EPA Statistician performed more detailed statistical analysis included separately
TU186 2 1. FSS_Bias has low variability for Ac-228 and Bi-2: and characterization samples had low variability for B-214 and K-40.		3		0 Name not provi	ed J. Walther 1	1. Four samples analyzed by on-site lab 8 days after the other 14 samples were analyzed within could indicate sample substitution. 2. Different slopes for each K-40 data set indicates different populations, suggesting different sample sources. 1 No sampler name. 1 No sampler name. 1 No sampler name. 2. Resample due to potential sample substitution of 4 samples in FSS_SYS set and probable different sample sources ource for FSS_SYS, FSS_Blas, SYS_1, and characterization samples based on K-40 Q-Q plots.	EPA Statistician performed more detailed statistical analysis included separately